

SIRAM OCR5 is a license plate recognition software based on AI - Deep Learning, which offers a high accuracy rate. It is the ideal LPR solution for Stop&Go and Free Flow applications















Camera embedded



Accuracy rate +99%



+100 recognized countries



ONVIF camera



Ticketless Barrierless

WHY CHOOSE OCR5?

- Very high accuracy Deep Learning
- Ease of configuration Intuitive user interface
- Quick implementation Adaptation all types of lanes
- Certification module for commissioning
- Versatile architecture All-in-One or Server-based

PARKING

Integrated with parking systems (PMS / PARCS)

Over 60 integrations available

Hardware or software trigger

Stop&Go y Free Flow

Identification of vehicle direction

Additional add-ons available (Analytics)

SMART APPLICATIONS

PARKING - Touchless, Barrierless and Ticketless

MOBILITY - Low Emission Zones (LEZ) and Restricted Traffic (ZTR)

ENFORCEMENT - Embarked on vehicles

SECURITY - Siram Access Web and access control platforms



SECURITY

Integrated with Security Platforms

Web, Wiegand & TCP/IP integration

Online/Offline mode (internal database)

Stop&Go and Free Flow Systems


Identification vehicle direction


SIRAM Access Web













Automatic Zoom & Focus



Free Flow and Stop&Go Mode



Camera I/O and Conex Management

OCR5 LITE	OCR5 PRO	OCR5 PRO+	
✓ Front capture	✓ Front and rear capture	✓ Front and rear capture	
■ Motorcycle and car lanes (2 cameras)	✓ Motorcycle and car lanes (2 cameras)	✓ Motorcycle and car lanes (2 cameras)	
X Ticketless for cars (2 cameras)	✓ Ticketless for cars (2 cameras)	✓ Ticketless for cars (2 cameras)	
X Ticketless cars & motorcycles (3 cameras)	X Ticketless cars & motorcycles (3 cameras)	✓ Ticketless cars & motorcycles (3 cameras)	
X Barrierless & Free Flow	X Barrierless & Free Flow	✓ Barrierless & Free Flow	
X Vehicle type detection (cars & motorcycles)	X Vehicle type detection (cars & motorcycles)	✓ Vehicle type detection (cars & motorcycles)	



FEATURES	OCR5 LITE	OCR5 PRO	OCR5 PRO+
	UPDATES		
Jpdate option	×	•	•
	HARDWARE ARCHITECTURE		
Architecture - Intel, AMD x64 (SSE2 y AVX)	•	•	•
Architecture - ARMv7 x86 - Neon (Axis Artpec7 32 bits)	•	•	•
Architecture - ARMv7 x64 (Raspberry Pi 4)	•	•	•
Architecture - Aarch64 - ASIMD (Odroid - Axis Artpec8 64 bits)	•	•	•
	OPERATING SYSTEMS		
System - Windows 7, 8, 10, 11 and Server	•		•
System - Linux Ubuntu 16.04	•	•	•
System - Linux Raspbian 9	•	•	•
	USER INTERFACE		
nterface - Desktop	•	•	•
nterface - Web	•	•	•
	WEB INTERFACE SETTINGS		
Settings - Detection Mask	•	•	•
Settings - Camera self-calibration	•	•	•
Settings - Logs Download		•	
Settings - Viewer pause possibility		•	
Settings - Digital zoom cameras (PTZ)		•	•
Settings - Live Log	×	•	•
	OPERATING MODES		
Mode - Pre/Post	•	•	•
Mode - Continuous Pull	•	•	•
Mode - Continuous Push	•	•	•
Mode - Color	×	•	•
	OPERATING MODE SETTINGS		
Setting - Trigger Delay	•	•	•
Settings - Motion Detection	•	•	•
Settings - Sense Filter		•	•
Settings - Main Country	•	•	•
Settings - Secondary Countries		•	•
Settings - Image Scaling		•	•
Settings - Rotative Logs	•	•	•
Settings - B/W Mode	•	•	•
Settings - Color Mode	×	•	•
Settings - Trailer License Plates	×	•	•
Settings - ADR license plates	×	•	•
	PROTOCOLS		
Protocols - Multiple Protocols	×	•	•
Protocols - Extended Protocol	×	•	•
	OCR MODULES		
Module - System Certification in operation	•	•	•
Module - FTP Function	•	•	•
Module - I/O Control	×	•	•
Module - Splitter	×	•	•
Module - Vehicle Type ((Motorcycle / Car)	×	×	
Module - Vehicle presence (I/O Activation in Push mode)	×	×	•
	INTEGRATED OCR MIDDLEWARE		
Module - Twinplate for Multi-Camera lane detection	X	Twinplate PRO	Twinplate PRO+
Module - Audit	×		
Module - MulticamLane	×		
Module - Tailgating for fraud detection	×		
rangating for made detection			



