

TWINPLATE allows for the management of multiple LPR cameras installed in the same lane, seamlessly integrating with parking management software in a transparent manner. It is ideal for ensuring 24/7 operation of the lane, even if one of the LPR cameras fails. It also enables front and rear capture in lanes dedicated to motorcycle and cars.















Integrated with **PARCS**



Accuracy rate +99%



motorcycles lanes



Barrierless



Ticketless

WHY CHOOSE TWINPLATE?

- Multiple cameras per lane
- Trigger or Free Flow mode
- Integration with OCR5 (Pro and Pro+)
- Front and rear camera
- Over 60 protocols
- 24/7 operation

SMART APPLICATIONS

TICKETLESS

BARRIERLESS

SUBSCRIBERS

PAY BY PLATE

BOOKING BY NUMBER PLATE **CAR AND MOTORCYCLE LANES**

TWINPLATE PRO

COMPLEX LANES

Front capture with two cameras In situations where vehicles access

into the lane from multiple directions.



TWINPLATE PRO

TICKETLESS CAR LANES

Front and rear capture cameras


In Ticketless lanes, it is necessary to ensure the 24/7 lane operation.

TWINPLATE PRO+

CAR AND MOTORCYCLE LANES

Front car and rear motorcycle capture cameras

In the Ticketless lanes of cars and motorcycles, the 24/7 operation of the lane is ensured with 3 LPR cameras.












An LPR solution for multiple scenarios







TWINPLATE PRO

LPR for Ticketless, Mixed or Complex Lanes

Ability to manage up to 2 LPR cameras installed in the same lane. It can be used to:




Ensure operation in the Ticketless lanes even if one of the LPRs cameras fails.




Capture front and rear plates in lanes for cars and motorcycles.



Complex lanes where vehicles access from different directions.





TWINPLATE PRO+

LPR Barrierless, Ticketless or Mixed lanes

The TWINPLATE Pro+ software allows the management of up to 5 LPR Plus cameras installed in the same lane. It also provides the type of vehicle and can be used SIMULTANEOUSLY for:



Ensure operation in Ticketless lanes of cars and motorcycles with front and rear capture.



Barrierless lanes.

Choose the best LPR camera for your porject



			Location	Capture	Maximum distance	Lane width
Ī	СОМРАСТ	IR HYBRID	Ground	Front	8 m / 26 ft 5 m / 16 ft*	5 m / 16 ft 4 m / 13 ft*
1	BULLET	IR HYBRID	Wall, Ceiling or Pole	Front and Rear	8 m / 26 ft	5 m / 16 ft
	DOME	IR HYBRID	Barrier, Wall or Ceiling	Front and Rear	6 m / 20 ft	4 m / 13 ft
-	BULLET XXL	IR HYBRID	Wall, Ceiling or Pole	Front and Rear	15 m / 50 ft 10 m / 33 ft*	5,5 m / 18 ft 4,5 m / 15 ft*
0	ТОТЕМ	IR HYBRID	Ground	Front and Rear Trucks	8 m / 26 ft 5 m / 16 ft*	5 m / 16 ft 4 m / 13 ft*

um distance in case of only having the illumination of the hybrid led projector or the white led spotlight. xximum distance for the Hybrid models, in case of having ambient lighting of 50 lux in the license plate, is the same as in the IR models














TWINPLATE PRO



TWINPLATE PRO

LPR Carriles de Coches y Motos REAR PLATE

> Layout of the cameras for a MIXED ACCESS of cars and motorcycles. Rear capture for both types of vehicles. Recommended in cases where front capture is not feasible.








TWINPLATE PRO

LPR Ticketless Car Lanes

FRONT & REAR PLATE

Layout of cameras for **TICKETLESS** access. The dual capture (front and rear) ensures the operation of the lane.




TWINPLATE PRO

LPR Ticketless Car Lanes

REAR PLATE


Layout of cameras for **TICKETLESS** access. The dual capture ensures the operation of the lane. Recommended option in cases where front capture is not feasible.








TWINPLATE PRO+



TWINPLATE PRO+

LPR Ticketless lanes for Cars and Motorcycles



REAR PLATE

